



**Jera Software GmbH**

Reutener Straße 4  
79279 Vörstetten

# Inhaltsverzeichnis

**DATEVConnect Übertragungsprotokoll** ..... 3

# DATEVConnect Übertragungsprotokoll

Um mögliche Problem nachzuvollziehen, werden alle Übertragungen zum DATEV Rechenzentrum protokolliert.

Vor jeder Übertragung werden alle Einträge, die älter als 14 Tage sind gelöscht.

Erfolgreiche Übertragungen werden nach 2 Tage gelöscht.

The screenshot displays the DATEV Connect Übertragungsprotokoll application. The interface includes a toolbar with 'Liste aktualisieren', 'CSV Export', and 'Hilfe' buttons. The main area is divided into two panes. The left pane shows a table of transactions with columns for 'Zeitpunkt', 'Methode', 'Resultat', and 'URL'. The right pane shows the details for a selected transaction, including 'Request-Header', 'Response-Header', and 'Response-Body'.

Zeitpunkt	Methode	Resultat	URL
10.11.2022 18:58:47	GET	200	https://login.datev.de/openid/veill-frontend/openid-configuration
10.11.2022 18:58:47	GET	200	https://login.datev.de/openid/veill-frontend/openid-configuration
10.11.2022 18:58:48	POST	200	https://api.datev.de/token
10.11.2022 18:58:48	GET	200	https://api.datev.de/accounting/v1/client/5009030-99998/accans
10.11.2022 18:58:51	PUT	201	https://api.datev.de/accounting/v1/client/5009030-99998/accans
10.11.2022 18:59:11	POST	202	https://api.datev.de/accounting/v2/client/5009030-99998/test-file
10.11.2022 18:59:16	GET	200	https://api.datev.de/accounting/v2/client/5009030-99998/test-file
10.11.2022 19:46:24	GET	200	https://login.datev.de/openid/veill-frontend/openid-configuration
10.11.2022 19:46:25	POST	200	https://api.datev.de/token
10.11.2022 19:46:25	GET	200	https://api.datev.de/accounting/v2/client/5009030-99998

**Request-Header**  
Authorization: Bearer --Token--  
Host: api.datev.de  
Accept: application/json;charset=utf-8  
User-Agent: JERA DATEV API Connector

**Response-Header**  
X-Backend: Transpact OK OK  
Connection: Keep-Alive  
Transfer-Encoding: chunked  
Date: Thu, 10 Nov 2022 11:46:27 GMT  
Server: nginx  
Cache-Control: no-cache, no-store, max-age=0, must-revalidate, no-cache, no-store

**Response-Header**  
[{"id": "5009030-99998", "consultant\_number": "5009030", "id": "5009030-99998", "name": "Mustahob GmbH", "services": [{"name": "Belegbildservice"}, {"name": "accountingdocuments"}, {"name": "Buchungsdienstservice"}, {"name": "datevaccounting-xml-files-import"}, {"name": "Rechnungsdienstservice"}, {"name": "datevaccountingdocuments"}, {"name": "datevaccountingdocuments"}, {"name": "Rechnungsdienstservice"}, {"name": "datevaccountingdocuments"}]}

From:

<http://wiki.fibu-schnittstelle.de/> - **Dokumentation Fibu-Schnittstellen der Jera GmbH**

Permanent link:

<http://wiki.fibu-schnittstelle.de/doku.php?id=datev:datev:connect:httpprotocol>

Last update: **2025/11/19 07:30**

