




**Jera Software GmbH**

Reutener Straße 4  
79279 Vörsstetten

# Inhaltsverzeichnis

PayPal API Zugang aktivieren und auslesen ..... 1


## PayPal API Zugang aktivieren und auslesen



Die folgende Dokumentation, beschreibt wie der API Zugang von PayPal auf der Website aktiviert wird.

APIs (englisch, Application Programming Interfaces) sind Programmierschnittstellen, die PayPal eine Kommunikation mit anderen Programmen erlaubt.

Melden Sie sich dafür, zunächst über den Button „Login into Dashboard“ auf folgender Webseite an: <https://developer.paypal.com/>



Sobald Sie angemeldet sind, klicken sie bitte auf „My Apps & Credentials“ und scrollen Sie nach unten bis zu „REST API apps“.

PayPal Developer Docs APIs Support Search

**My Apps & Credentials**

My Account

SANDBOX

Accounts

Webhooks

API Calls

IPN Simulator

Webhooks Events

MOCK

Webhooks Simulator

Credit Card Generator

Negative Testing

LIVE

API Calls

Webhooks Events

### My Apps & Credentials

#### Express Checkout via Braintree SDK - Live Account

Manage your account settings for your live Braintree SDK account.

- View and Add currencies
- Reset access token
- Configure webhooks (coming soon)

[Generate Live Access Token](#)

#### Live Account

Create your first credential to view it here.

#### Express Checkout via Braintree SDK - Sandbox Accounts

Test your PayPal Express Checkout integration in the sandbox using the Braintree SDK and our [set up instructions](#). To go live follow these [steps](#).

**Note:** You can link a maximum of five Braintree SDK sandbox access tokens to your PayPal account. You can generate only one Braintree SDK sandbox access token for each PayPal sandbox account.

[Generate Sandbox Access Token](#)

Hier können Sie nun über „Create App“ einen neuen App Zugang anlegen.

PayPal Developer Docs APIs Support Search

**My Apps & Credentials**

My Account

SANDBOX

Accounts

Webhooks

API Calls

IPN Simulator

Webhooks Events

MOCK

Webhooks Simulator

Credit Card Generator

Negative Testing

LIVE

API Calls

Webhooks Events

Test your PayPal Express Checkout integration in the sandbox using the Braintree SDK and our [set up instructions](#). To go live follow these [steps](#).

**Note:** You can link a maximum of five Braintree SDK sandbox access tokens to your PayPal account. You can generate only one Braintree SDK sandbox access token for each PayPal sandbox account.

[Generate Sandbox Access Token](#)

#### Sandbox Accounts

Create your first credential to view it here.

#### REST API apps

Create an app to receive REST API credentials for testing and live transactions.

**Note:** Features available for live transactions are listed in your [account eligibility](#).

[Create App](#)

App Name	Type	Actions
Test	REST	

#### NVP/SOAP API apps


Im folgenden Dialog können Sie einen beliebigen Namen für die App eingeben und den Namen des Developer Accounts.

Nach dem Erstellen des App Zugangs, wie in folgender Abbildung auf Live klicken.

## Test2

Sandbox

Live

App display name: Test2 

## LIVE API CREDENTIALS

Note that not all features are available for live transactions. Features available for live transactions are listed in your **account eligibility**.

PayPal account:

raul.borchert@jera-software.de

Client ID:



Secret:

[Hide](#)

**Note:** There can only be a maximum of two client-secrets. These client-secrets can either be in "Enabled" status or "Disabled" status.

Created	Secret	Status	Action
Aug 23, 2018		Enabled	

[Generate New Secret](#)

In dieser Ansicht können nun die Client ID und der Secret abgelesen werden.

Allerdings muss **zuvor** weiter unten auf dieser Seite, die Checkbox „Transaction Search“ aktiviert werden.

Dies muss anschließend mit Speichern bestätigt werden.

PayPal Developer Docs APIs Support Search

**SIDEBOARD**

- My Apps & Credentials
- My Account
- Accounts
- Notifications
- API Calls
- IPN Simulator
- Webhooks Events
- PDK
- Webhooks Simulator
- Credit Card Generator
- Negative Testing
- LIVE
- API Calls
- Webhooks Events

**WEBHOOKS**

This app has no webhooks.

[Add Webhook](#)

**LIVE APP SETTINGS**

**Live Returns URL** - Users are redirected to this URL after live transactions. Allow up to three hours for the change to take effect. [Show](#)

**App feature options**

- ☒ **Accept Payments** - Accept one-time and subscription payments from PayPal members using PayPal processing. [Advanced Options](#)
- ☒ **Invoicing** - Issue invoices for payments owed, manage partial balances due, and enable custom net payment terms.
- ☒ **Payouts** - Send batch payments to multiple PayPal accounts at once. You can vary the amount by recipient and select if you'd like it delivered by phone number or email.
- ☒ **Customer Disputes** - Use the PayPal Customer Disputes API to list disputes, provide evidence, accept claims, show dispute details, and appeal disputes.
- ☐ **PayPal Here** - Process swiped/card-present card transactions.
- ☐ **Log in with PayPal** - Identity service that enables your customers to log in with their PayPal login.
- ☒ **Transaction Search** - Access your PayPal transaction history.

[Save](#) [Cancel](#)

[Take a survey on Integrating PayPal](#)

Nun können Sie die Client ID und den Secret für die Anmeldung verwenden.

From:

<http://wiki.fibu-schnittstelle.de/> - **Dokumentation Fibu-Schnittstellen der Jera GmbH**

Permanent link:

<http://wiki.fibu-schnittstelle.de/doku.php?id=jtl:paypal:api>



Last update: **2022/07/25 13:35**